ASSEMBLY INSTRUCTION MANUAL #15-196 BANNER STAND

NOTE:

BANNER STAND CAN BE USED WITH ONE OR TWO 2' X 6' BANNERS THAT ARE SOLD SEPARATELY.

THE DRAWING SHOWS ONE BANNER FOR CLARIFICATION.


9801 PAGE AVENUE ST. LOUIS, MO. 63132-1428

TEL: (314) 427-8887

or (800) 823-8887

FAX: (314) 427-0004


or (800) 823-0004



Final: 9/27/10



PAGE 1 of 4



15-196 ASSEMBLY INSTRUCTION

BANNER STAND (PRINTED BANNERS SOLD SEPARATELY)


ASSEMBLY STEPS:

STEP 1

TAKE LOWER POLE AND REMOVE THE ALLEN HEAD SCREW FROM BOTTOM END (SEE FIG. 1)

STEP 2


SLIDE THE BOTTOM END OF LOWER POLE (SHOWN IN FIG. 1 ABOVE) INTO THE BANNER RAIL WHERE THE SLOTS ARE FACING UP. SLIDE RAIL UP ON THE POLE ABOUT 6' INCHES FROM END AND TIGHTEN THUMB SET SCREW TO HOLD IN PLACE. TAKE THE SCREW THAT WAS REMOVE FROM POLE IN STEP 1 AND PUSH THROUGH HOLE IN BASE PLATE AND SCREW BACK INTO THE END OF POLE.




TIGHTEN WITH ALLEN WRENCH. (SEE FIG. 2)

STEP 3

SLIDE TOP BANNER RAIL ONTO THE END OF UPPER POLE. MAKE SURE THE SLOTS ARE FACING DOWN. TIGHTEN THE THUMB SET SCREW TO HOLD IN PLACE (SEE FIG. 3)





STEP 4

TAKE THE UPPER POLE WITH BANNER RAIL AT THE TOP AND SLIDE INTO THE LOWER POLE THAT IS ATTACHED TO THE BASE PLATE IN STEP 2. SLIDE UPPER POLE DOWN ABOUT HALF WAY. TIGHTEN THUMB SET SCREW TO HOLD IN PLACE SEE DRAWING AT THE RIGHT.



PAGE 3 of 4

15-196 ASSEMBLY INSTRUCTION BANNER STAND (PRINTED BANNERS SOLD SEPARATELY) ASSEMBLY STEPS CONTINUES:

